

Mirrors



ASI *American Specialties, Inc.*



Mirrors

ASI provides mirrors for every location, application, and budget—in virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

SHOWN: 20650 ROVAL™ STAINLESS STEEL MIRROR

OPTIONAL REFLECTIVE SURFACES

SUFFIX DESCRIPTION:

- B Tempered Glass** ¼" (6 mm) polished tempered glass
- C Stainless Steel Mirrors** Type 304 Stainless Steel polished to a #8 mirror finish
- D Lexan Dura-Mir™** Fabricated of ¼" (6 mm) polycarbonate sheet
- E Plexiglas®** ¼" (6 mm) acrylic plastic, lightweight and shatter-resistant
- L Laminated Glass** ¼" (6 mm) thick

Note for Designers: All of the above glazing options are particularly suited to applications where frequent breakage and/or security problems exist. These surfaces are best specified for use in prisons, schools, police stations, psychiatric wards, etc., where shards of broken glass might possibly be used as weapons. The reflective quality of these types of mirrors is not as true as plate glass.



0620 CHANNEL FRAME MIRROR

½" x ½" (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft-resistant screws.



0605 ANGLE FRAME MIRROR WITH SHELF

0625 CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) deep.

MIRRORS



0535 FIXED TILT MIRROR

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.



8026 FRAMELESS STAINLESS STEEL MIRROR

Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a 5/16" (8 mm) return. Provided with 1/4" (6 mm) thick concealed tempered masonite backing and 4 mounting holes.



0600 ANGLE FRAME MIRROR

3/4" x 3/4" (19 x 16 mm) roll formed 18 gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one-piece, attached to frame with theft-resistant locking device.



20650 ROVAL™ STAINLESS STEEL MIRROR

20655 ROVAL™ STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

Gently radiused edges match the ASI Roval™ design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror.



8287 FRAMELESS MIRROR

Frameless mirrors offer clean lines to complement every type of interior design and are easy to care for. One-piece can be up to 28 sq. ft. (2.6 m²), as long as either H or W dimension is less than 84" (2134 mm). Mirrors larger than 28 sq. ft. (2.6 m²) or with either linear H or W dimension larger than 84" (2134 mm) shall be supplied as multiple pieces. Made of 1/4" polished plate glass.



0600-T ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.

STANDARD MIRROR SIZES												
Width x Height	0535	0537	0600	0600-T	0605	0620	0625	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)			■		■	■		■				
16" x 24" (41 x 61 cm)			■	■	■	■	■	■				
16" x 30" (41 x 76 cm)	■	■	■	■		■						
18" x 24" (46 x 61 cm)	■		■	■	■	■	■	■				
18" x 30" (46 x 76 cm)	■	■	■	■	■	■	■	■	■	■	■	■
18" x 36" (46 x 91 cm)	■	■	■	■	■	■	■		■	■	■	■
20" x 60" (51 x 152 cm)			■			■						
24" x 24" (61 x 61 cm)						■						
24" x 30" (61 x 76 cm)	■		■		■	■	■	■				
24" x 36" (61 x 91 cm)	■		■	■	■	■	■	■	■	■	■	■
24" x 42" (61 x 107 cm)			■			■						
24" x 48" (61 x 122 cm)			■			■						
24" x 60"(61 x 152 cm)			■			■						
24" x 72" (61 x 183 cm)			■									
30" x 36" (76x 91 cm)			■			■						
30" x 48" (76x 122 cm)						■						
36" x 36" (91x 91 cm)			■			■						
36" x 48" (91 x 122 cm)						■						
48" x 30" (122 x 76 cm)			■		■	■						
48" x 36" (122 x 91 cm)			■		■	■						
60" x 24" (152 x 61 cm)			■		■	■						
60" x 36" (152 x 91 cm)			■		■	■						
72" x 36" (183 x 91 cm)			■		■	■						

Custom sizes available upon request. Standard glazing is glass. See optional reflective surfaces on page 62.

MIRRORS



NEW

0661-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

MODEL OPTION:

0661-2 Velare™ Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208~240V).

Overall Dimensions:

23⁹/₁₆" x 35⁷/₁₆" x 7⁹/₁₆"
(600 x 900 x 192)



NEW

0663-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

MODEL OPTION:

0663-2 Velare™ Stainless Steel Cabinet with Foam Soap and Hand Dryer (208~240V).

Overall Dimensions:

23⁹/₁₆" x 35⁷/₁₆" x 7⁹/₁₆"
(600 x 900 x 192)



NEW

0661-T VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

23⁹/₁₆" x 35⁷/₁₆" x 7⁹/₁₆"
(600 x 900 x 192)



NEW

0663-T VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

Overall Dimensions:

23⁹/₁₆" x 35⁷/₁₆" x 7⁹/₁₆"
(600 x 900 x 192)



americanspecialties.com

MIRRORS



NEW

**0661-FM-14 VELARE™ STAINLESS STEEL
FRAMELESS MIRROR FILLER MODULE**

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from 1/4" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

14³/₄" x 35⁷/₁₆" x 7⁹/₁₆"
(375 x 900 x 192)



NEW

**0661-FM-23 VELARE™ STAINLESS STEEL
FRAMELESS MIRROR FILLER MODULE**

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from 1/4" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

Overall Dimensions:

23¹/₄" x 35⁷/₁₆" x 7⁹/₁₆"
(591 x 900 x 192)

VELARE™ COLLECTION

**ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP
DISPENSER, AND YOUR CHOICE OF PAPER TOWEL
DISPENSER OR HAND DRYER—NOW AVAILABLE WITH
MIRROR FILLERS FOR FLEXIBILITY.**

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The 1/4" thick tempered glass mirror supported by twin, damped gas springs, opens up to 90° for easy maintenance.





0640 Series
Frameless Mirrors
with LED Backlight



0641 Series
Frameless Mirrors
with LED Backlight
and Frosted Border

BACKLIGHTING THAT REFLECTS GREAT DESIGN

Add light to where it's needed the most with ASI's new frameless plate glass mirrors with LED backlight. Combining style with functionality, these mirrors are a perfect fit for any washroom aesthetic from offices to hospitality settings, and are available with frosted borders for extra choice.

FEATURES / BENEFITS:

- $\frac{5}{32}$ " (4 mm) frameless plate glass with polished edges for user safety
- Glows at 6000 Kelvin
- LED bulbs offer an average savings of \$100 per year* and can have a lifespan of over 50,000 hours.
- Connected through power cord or hardwired
- Can be mounted vertically or horizontally
- Projects $1\frac{3}{4}$ " from the wall
- 5 year warranty

**based on 6 hours per day, 7 days per week*

0640 SERIES adds wall accent and soft lighting around the mirror

MODEL NUMBER	OVERALL SIZE (W x H)	LUMENS
0640-2436	24" X 36" (610 X 914 mm)	2352
0640-3036	30" X 36" (762 X 914 mm)	2640
0640-4836	48" X 36" (1219 X 914 mm)	3514
0640-6036	60" X 36" (1524 X 914 mm)	4128

0641 SERIES WITH FROSTED BORDER illuminates the front and sides of the mirror

MODEL NUMBER	OVERALL SIZE (W x H)	LUMENS
0641-2436	24" X 36" (610 X 914 mm)	2352
0641-3036	30" X 36" (762 X 914 mm)	2640
0641-4836	48" X 36" (1219 X 914 mm)	3514
0641-6036	60" X 36" (1524 X 914 mm)	4128

0640 SERIES FRAMELESS MIRRORS WITH LED BACKLIGHT

0641 SERIES FRAMELESS MIRRORS WITH LED BACKLIGHT AND FROSTED BORDER

SPECIFICATION

- Frameless polished edge mirror with integral aluminum mounting frame and frosted glass border LED halo lighting shall be consistent with A glazing (plate glass) and shall be 5/32" [4] thick.
- Hard wired LED lighting system shall be UL listed and shall operate on 100/240 VAC 50/60 Hz.
- Light color shall be the equivalent of 6000 K.
- Unit shall be mountable in horizontal or vertical format without additional brackets or adaptations to mounting provisions.
- Power cord is included for use by owner if appropriate socket is provided on wall (by others) concealed by mounting frame of mirror and is 34" [86] long with 3-prong USA pattern plug and bare wires for connection to hard wiring in LED control box.
- Mirror glass and LED system shall be warranted for manufacturing defects for a period of five (5) years from ship date.
- Keyhole mounting slots are provided for installation in long and short sides of back frame. Mirror is to be hung on pre-installed pan head screws (provided) to be retained by screw heads engaged into the slots.



American Specialties, Inc.

© 2021 American Specialties, Inc., an ASI Group Company

American Specialties, Inc.
441 Saw Mill River Road
Yonkers, NY 10701
Phone: 914.476.9000 Fax: 914.476.0688
Web: americanspecialties.com

美国ASI集团 中国公司
地址：上海市四平路188号上海商贸大厦1608室
电话：021-3652-5261
Web：www.asigroup.cn