THE GERM FREE AUTOMATED ENVIRONMENT SOAP DISPENSERS



STERN'S INNOVATIVE MINDS

ARE LEADING THE WAY



At Stern Engineering, we look at sanitary products development as a growing, evolving profession, one that brings together a strong commitment to the environment with the best engineering minds.

With 27 years of successful innovations, Stern has the experience and skill to anticipate consumer needs, research and develop new products to meet those needs, and create business models that include new and improved products and offers.

Below are some of the new ideas presented in this catalogue:





One of our goals during the development of Stern's touch-free soap dispensers was to design them with the minimalistic lines of our best-selling faucets.


By doing so, Stern has created the perfect matching faucet and soap dispenser combination, providing architects with the solution for a cohesive, clean, aesthetic look with perfect functionality.

TUBULAR SOAP DISPENSER NOW IN STAINLESS STEEL AISI 316



Valued for its anti—corrosion properties and its non-reactive qualities, Stainless Steel AISI 316 is of en the selected option for medical and coastal environments. Designers usually specify stainless steel simply because its clean and attractive appearance, although its most important benef t is the long service life. Keeping up this design trend, Stern offers the Tubular soap dispenser in chrome, brushed nickel, pewter, oil rubbed bronze, polished brass, matt black f nishes and now in Stainless Steel AISI 316 material.

THE SOAP WATER AIR MODULE



Combining Stern's proven technology, the Soap-Water-Air Module simplif es the entire hand washing cycle, even from product installtion, as only one product is installed instead of three.





Stern offers now a bigger optimized tank for both Individual and Multifeed versions.

Product features and advantages:

- · Smart design for 6 liters 1.6 US gallon capacity
- · Soap level indicator in liters and US gallons
- · Interchangeable with the current product
- · Internal sleeve to prevent curly pipes

STERN'S "DO-IT-YOURSELF" VACCINE:

TOUCH-FREE SOAP AND WATER HAND WASH



Hand hygiene is the key factor in f ghting the spread of germs. An ingrained habit of frequent hand washing can save more lives than any single vaccine or medical intervention. Electronic faucets allow users to wash their hands without actually touching the device. This eliminates a potential source of cross contamination and the spread of germs by contact with the faucet handles.

However manual soap dispensers remain potentially contaminating.

In recent years, Stern has extended its product range, adding wall and deck mounted touch-free liquid soap dispensers. Now, we are proud to present the new touch-free foaming soap dispensers lines. The result is a perfect combination, a germ-free automated environment for public or residential restrooms and kitchens.



CONTROLLED DOSAGE. A COST-EFFECTIVE SOLUTION

Stern's touch-free soap dispensers sense the user's hands, providing 'just enough' soap when needed and shutting off automatically without dripping. These cost-effective sanitary solutions are easily maintained and ref lled, ensuring that the bathroom stays clean and organized and aesthetically pleasing.



CROSS CONTAMINATION PROTECTION - NO PHYSICAL CONTACT

Feces can be the source of diarrheal pathogens – microscopic bacteria. If not disposed of, the bacteria spread through the environment with the four "F"s: flies, f ngers, fluids and f elds (various surfaces).

Touch-free faucets and soap dispensers eliminate the most physical route - surfaces - a critical step in diarrheal disease prevention.



USED WITH ANY LIQUID SOAP. ADJUSTABLE WITH REMOTE CONTROL

Stern's touch-free soap dispensers include a peristaltic pump that allows the use of non-proprietary soap for maximum savings. The soap is pumped through a designated tube, without any contact with the pump itself, preventing contamination and back flow and ensuring maximum saving on soap waste.

As the required amount of dispensed soap can change in consideration to different soap viscosity, an optional remote control is available for the easy adjustment of the soap dosage.



IDEAL FOR PUBLIC AND RESIDENTIAL USE

The timeless, state-of-the-art designs of Stern's touch-free soap dispensers suit any decorative style, emphasizing a clean and ref ned image.

ADVANTAGES



DRASTICALLY REDUCES SOAP COSTS

Can be used with any non-proprietary soap from any soap supplier, thus greatly reducing soap costs



PREVENTS GERMS FROM SPREADING

Eliminating all physical contact (with full soap and water set), protects the users from cross contamination



PRECISE SOAP DOSAGE

Dispenses the exact amount of soap needed for perfect hand washing, as set by facility personnel



ON-SITE ADJUSTMENT OF SOAP QUANTITY AND "FOAMABILITY"

Stern's remote controls for liquid or foam soap dispensers allow adjustment of the dispenser sensor's settings at any given time



THE COMPLETE TOUCH-FREE EXPERIENCE STOMPS COSTS

The electronic faucet and compatible soap dispenser operate in tandem to greatly reduce water and soap consumption



CLOG FREE

With the peristaltic pump there is no direct contact between the pump mechanism and the soap, thus preventing contamination and back flow



EASY TO INSTALL AND REFILL

Quick and simple installation. Designed with easy access for refilling



OPTIONAL MULTIFEED INSTALLATION

- · Feeds up to 6 soap dispensers simultaneously
- · Vandal-resistant top-filling mechanism for easy refill
- Soap level indicator
- · 1.6 gallons (6 liters) tank with stainless steel support

INDEX



26-28

29-30

31

CLASSIC SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP

Features:

- 100% heavy duty one piece brass bodyIR sensor in dispenser spoutAnti-rotation pin

Options:

- 0.26 US gallon (1L) soap bottle 1.6 US gallon (6L) soap tank
- Multiple soap dispensers installation (up to six
 (6) dispensers) with a single 1.6 US gallon (1L) tank
 Matching IR operated faucet

- Cross contamination protection no physical contact

- Easy to install and refill
- Highly durable for heavy traffic locations









	STANDARD SOAP DISPENSER VERSIONS							
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
	CLASSIC SOAP DISPENSER B	Delivers liquid soap Includes a brass base for abuse protection in high traffic locations	Battery box for six (6) DD batteries	292400	50 1/8" 1-5/8" 1-5/8" 1-5/8" 1-7/8" 1-			
	CLASSIC SOAP DISPENSER E		12V Transformer	292410	137 [8] [332 mm]			
	CLASSIC FOAM E	Delivers foam soap Includes a brass base for abuse protection in high traffic locations	12V Transformer	292300	3-1/4" [4/mm] [20mm] [15/8" [4/mm] [20mm] [3/5/8] [4/mm] [3/5/8] [4/mm] [3/5/8] [4/mm] [3/5/8] [4/mm] [3/5/8] [4/mm] [3/5/8] [4/mm] [4/mm] [4/5/8] [4/mm] [4/mm] [4/5/8] [4/mm] [4/mm] [4/5/8] [4/mm] [4/mm] [4/5/8] [4/mm] [4/5/8] [4/mm] [4/mm] [4/5/8] [4/mm] [4/m			

6-PACK SOAP DISPENSER							
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
CLASSIC SD 6-PACK B	Includor	Battery box for six (6) DD batteries	292401				
CLASSIC SD 6-PACK E	Includes: Six (6) soap/foam dispenser units and one (1) remote control	12V Transformer	292411				
CLASSIC FOAM 6-PACK E	and one (i) remote control	12V Transformer	292301				

1.6 GALLON (6L) SOAP DISPENSER VERSIONS						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
MF CLASSIC SOAP DISPENSER	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292177	3-1/4"		
MF CLASSIC FOAM DISPENSER	Delivers foam soap Deck mounted touch free electronic foam dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292207			
CLASSIC SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	292416			
				2		

SWAN SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP

Features:

- 100% heavy duty one piece brass body
- IR sensor

- 0.26 US gallon (1L) soap bottle
 1.6 US gallon (6L) soap tank
 Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (1L) tank
 Matching IR operated faucet
 Remote control

- Cross contamination protection no physical contact

- Easy to install and refill
- Highly durable for heavy traffic locations







	STANDARD SOAP DISPENSER VERSIONS							
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
	SWAN SOAP DISPENSER B	Delivers liquid soap Includes a brass base for abuse protection in high traffic locations	Battery box for six (6) DD batteries	250920	22-1/8" 3-3/8" (22-1/8" (22-1/8" (22-1/8" (28-mm) (28-mm) (28-mm) (28-mm)			
	SWAN SOAP DISPENSER E		12V Transformer	250910	13/1/2" [38mm] [
	SWAN FOAM E	Delivers foam soap Includes a brass base for abuse protection in high traffic locations	12V Transformer	250922				

6-PACK SOAP DISPENSER							
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
SWAN SD 6-PACK B	hada da a	Battery box for six (6) DD batteries	250921				
SWAN SD 6-PACK E	Includes: Six (6) soap/foam dispenser units and one (1) remote control	12V Transformer	250911				
SWAN FOAM 6-PACK E		12V Transformer	250923				

	1.6 GALLON (6L) SOAP DISPENSER VERSIONS							
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING				
MF SWAN SOAP DISPENSER	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292117	2-1/8" 3-3/8" 2-1/8" 3-3/8"				
SWAN SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	250916					

TRENDY SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP

Features:

- IR sensorPeristaltic pump

- Tall version for counter top sinkAnti-rotation pin
- 0.26 US gallon (1L) soap bottle
- 1.6 US gallon (6L) soap bottle
 1.6 US gallon (6L) soap tank
 Multiple soap dispensers installation (up to six
 (6) dispensers) with a single 1.6 US gallon (6L) tank
 Matching IR operated faucet

- Cross contamination protection no physical contact
 Clog and backflow prevention with designated peristaltic

- Highly durable for heavy traffic locations



	STANDARD SOAP DISPENSER VERSIONS						
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
	TRENDY SOAP DISPENSER B	TRENDY SOAP DISPENSER B Battery box for six (6) 239910 DD batteries Delivers liquid	1-1/2" [38mm] (27/8" (62mm) (19mm) (19mm) (19mm) (19mm)				
	TRENDY SOAP DISPENSER E	soap	12V Transformer	239900	[mmzee] mmzee m		
	TRENDY FOAM E	Delivers foam soap	12V Transformer	239930	1-1/2" [6-1/4"] [6-3/4" [17.0mm] [17.0m		

STANDARD SOAP DISPENSER VERSIONS							
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
	TRENDY SOAP DISPENSER PLUS B	Delivers liquid soap	Battery box for six (6) DD batteries	239912	Ø1-1/2** [38mm] Ø 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
	TRENDY SOAP DISPENSER PLUS E	Tall version: 12" (304 mm) body	12V Transformer	239902	1-1/2" [160mm] [160mm] [160mm] [17/2" [160mm] [180mm]		

6-PACK LIQUID SOAP DISPENSER							
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
TRENDY SD 6-PACK B	Includes: Six (6) soap dispenser units and one (1) remote control	Battery box for six (6) DD batteries	239911				
TRENDY SD 6-PACK E		12V Transformer	239901				

TRENDY SD 6-PACK E	one (i) remote control	Transformer	239901	
	1.6 GALLON (6L) SOAP DISI	PENSER VERS	SIONS	
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING
MF TRENDY SOAP DISPENSER	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292073	01-1/2" [38mm] [2-3/8" [-1/2" [38mm] (-1/2" [38mm] (-1/2" (-1
MF TRENDY FOAM DISPENSER	Delivers foam soap Deck mounted touch free electronic foam dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292183	3/4* 19mm
MF TRENDY SD PLUS	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292099	Q1-1/2" [38mm] Q1-1/2" [38mm] Q1-1/2" [38mm] Q1/8* [3/4"] [19mm] [3/4"]
TRENDY SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	239916	91-1/2" 38mm

EXTREME SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY LIQUID SOAP

Features:

Options:

- Tall version for counter top sink
- 0.26 US gallon (1L) soap bottle
- 1.6 US gallon (6L) soap tank
- (6) dispensers) with a single 1.6 US gallon (6L) tank

 Matching IR operated faucet

 Remote control

- Clog and backflow prevention with designated peristaltic
- Accurate soap dosage adjustable by remote control



	STANDARD SOAP DISPENSER VERSIONS						
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
	EXTREME SOAP DISPENSER B		Battery box for six (6) DD batteries	237920	01-1/2" [38mm] (60 0) (70mm) (70mm) (70mm) (70mm) (70mm)		
	EXTREME SOAP DISPENSER E	Delivers liquid soap	12V Transformer	237900	[mm/se]		
7	EXTREME SOAP DISPENSER PLUS B		Battery box for six (6) DD batteries	237922	Ø1-1/2" [38mm] 17 [0.02] [wunty 0.02]		
7	EXTREME SOAP DISPENSER PLUS E	Delivers liquid soap Tall version: 12" (304 mm) body	12V Transformer	237905	01" [25mm] [100] [25mm] [20] [20] [20] [20] [20] [20] [20] [20		

6-PACK LIQUID SOAP DISPENSER VERSIONS						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
EXTREME SD 6-PACK B	Includes: Six (6) soap dispenser units and one (1) remote control	Battery box for six (6) DD batteries	237921			
EXTREME SD 6-PACK E		12V Transformer	237901			





1.6 GALLON (6L) SOAP DISPENSER VERSIONS						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
MF EXTREME SOAP DISPENSER	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292056	01-1/2* 38mm 2-3/4* 2-3/4* 20mm [mmy0]		
MF EXTREME SD PLUS	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292095	2.3/4"		
EXTREME SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	237916	0 0 1.1/2"		

ELITE SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP

Features:

- IR sensorPeristaltic pump

Options:

- Tall version for counter top sink

- 0.26 US gallon (1L) soap bottle
 1.6 US gallon (6L) soap tank
 Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank
- Matching IR operated faucet
 Aletrnative 4.4" (112mm) long spout
 Remote control

- Cross contamination protection no physical contact
- Clog and backflow prevention with designated peristaltic
- Accurate soap dosage adjustable by remote control

- Highly durable for heavy traffic locations



STANDARD SOAP DISPENSER VERSIONS					
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING
	ELITE SOAP DISPENSER B		Battery box for six (6) DD batteries	236110	1-1/2" [38mm] 3-3/8" [Mull #0.0] [84mm] [1-1/2" [38mm] [
	ELITE SOAP DISPENSER E	Delivers liquid soap	12V Transformer	236100	3-1/2* [38mm] [160mm] [3.1/2*]
	ELITE FOAM E	Delivers foam soap	12V Transformer	236120	1-1/2" [38mm] [150mm]

STANDARD SOAP DISPENSER VERSIONS						
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING	
	ELITE SOAP DISPENSER PLUS B	Delivers liquid soap	Battery box for six (6) DD batteries	236107	01-1/2" 38mm	
	ELITE SOAP DISPENSER PLUS E	Tall version: 12" (304 mm) body	12V Transformer	236105	1.2 (1.2 (1.2 (1.2 (1.2 (1.2 (1.2 (1.2 (

6-PACK SOAP DISPENSER						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
ELITE SD 6-PACK B	Includes: Six (6) soap/foam dispenser units and one (1) remote control	Battery box for six (6) DD batteries	236111			
ELITE SD 6-PACK E		12V Transformer	236101			
ELITE FOAM 6-PACK E		12V Transformer	236121	Ц Ц Ц		

1.6 GALLON (6L) SOAP DISPENSER VERSIONS						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
MF ELITE SOAP DISPENSER	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292077	2.3/8" [84mm] [84mm]		
MF ELITE FOAM DISPENSER	Delivers foam soap Deck mounted touch free electronic foam dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292205			
MF ELITE SD PLUS	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292093	(1-1/2*) (38mm) (1-1/2*) (1-1/		
ELITE SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	236216	01-1/2° 33.8mm 0 0 0		

GREEN SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP

Features:

- 100% heavy duty brass body

Options:

- 0.26 US gallon (1L) soap bottle
 1.6 US gallon (6L) soap tank
 Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank

 • Matching IR operated faucet

 • Remote control

- Cross contamination protection no physical contact
- Accurate soap dosage adjustable by remote control
- Maximized savings can be used with any non-proprietary
- Highly durable for heavy traffic locations







	STANDARD	SOAP DISPE	NSER VERSIO	NS	
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING
	GREEN SOAP DISPENSER B	Delivers liquid soap Includes a brass base	Battery box for six (6) DD batteries	225845	1-1/2" [38mm] [1-1/2" [38mm] [3-2-0-0] [-1/2" [38mm] [-1/2
	GREEN SOAP DISPENSER E	for abuse protection in high traffic locations	12V Transformer	225840	1-1/2" [-6-1/4" [332/mm] [332/mm]
	GREEN FOAM E	Delivers foam soap Includes a brass base for abuse protection in high traffic locations	12V Transformer	225842	01-1/2" 38mm 0 0 0 0 0 0 0 0 0
	6-P/	ACK SOAP DIS	PENSER		
PRODUCT NAME	MODEL FEATUR	ES .	POWER SUPPLY	CODE NUMBER	DRAWING
GREEN SD 6-PACK B	Includes: Six (6) soap/foam dispenser	units and	Battery box for six (6) DD batteries	225846	
GREEN SD 6-PACK E	one (1) remote control	ames ama	Transformer	225841	
GREEN FOAM 6-PACK E			12V		
			12V Transformer	225843	
	1.6 GALLON (6	SL) SOAP DIS	Transformer	SIONS	
PRODUCT NAME	1.6 GALLON (6	_	Transformer		DRAWING
PRODUCT NAME MF GREEN SOAP DISPENSER		ctronic soap ern's Multifeed	Transformer PENSER VERS	SIONS	DRAWING 01-1/2"

GREEN 28 SOAP DISPENSER

DECK-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP

Features:

- IR sensorPeristaltic pump

Options:

- 1.6 US gallon (6L) soap tank
 Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank
- Matching IR operated faucet
- Remote control

- Drastically reduces soap consumption
- Clog and backflow prevention with designated peristaltic
- Maximized savings can be used with any non-proprietary
- Easy to install and refill
- Highly durable for heavy traffic locations









	SOAP DISPENSER VERSIONS						
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
	GREEN 28 SOAP DISPENSER B	Delivers liquid soap Includes a brass base for abuse protection in high traffic locations	Battery box for six (6) DD batteries	352900	0.1-1/8" [28mm] 3.5/8" [19mm] [10mm25] 3.5/8" [19mm] [10mm25] 3.5/8" [19mm] [10mm25] 3.5/8" [19mm] [10mm25] 3.5/8" [10mm] [10mm25] 3.5/8" [10mm] [10mm25] 3.5/8" [10mm] [10mm25] [10mm] [10mm25] [10mm] [10mm		
12	GREEN 28 SOAP DISPENSER E		12V Transformer	352910	23-172. [80mm]		
	GREEN 28 FOAM E	Delivers foam soap Includes a brass base for abuse protection in high traffic locations	12V Transformer	352920	8 1-1/2 1-		

6-PACK LIQUID SOAP DISPENSER						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
GREEN 28 SD 6-PACK B	Includes: Six (6) soap dispenser units and one (1) remote control	Battery box for six (6) DD batteries	352901			
GREEN 28 SD 6-PACK E		12V Transformer	352911			

1.6 GALLON (6L) SOAP DISPENSER VERSIONS						
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING		
MF GREEN 28 SOAP DISPENSER	Delivers liquid soap Deck mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292155	(8 2) -1/8" (8 2) -1/8" (9 3) -1/8" (9 4)		
MF GREEN 28 FOAM DISPENSER	Delivers foam soap Deck mounted touch free electronic foam dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292206	93mm		
GREEN 28 SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	352916	01-1/8° [28mm] [144mm]		

QUADRAT SOAP DISPENSER

WALL-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY LIQUID SOAP

Features:

- 100% heavy duty one piece brass body

Options:

- 0.26 US gallon (1L) soap bottle
 1.6 US gallon (6L) soap tank
 Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank
 Matching IR operated faucet

- Accurate soap dosage adjustable by remote control

- Highly durable for heavy traffic locations





STANDARD SOAP DISPENSER VERSIONS					
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING
	QUADRAT SOAP DISPENSER B	Dulling	Battery box for six (6) DD batteries	351910	#8/7/8" [124mm]
	QUADRAT SOAP DISPENSER E	Delivers liquid soap	12V Transformer	351900	13.3 mm] 13.1/2" 13.1/2" 13.1/2" 13.1/2" 13.1/2"
	QUADRAT SOAP DISPENSER 2030 B	Delivers liquid soap Concealed installation	Battery box for six (6) DD batteries	351920	4-7/8" (124mm) Max 1-5/8" (18mm) 4-5/8" (118mm) 4-5/8" (118mm) 4-5/8" (118mm) 4-5/8" (118mm)
	QUADRAT SOAP DISPENSER 2030 E		12V Transformer	351930	[Samm] [13" [Model] [13" [13"]

6-PACK LIQUID SOAP DISPENSER							
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
QUADRAT SD 6-PACK B	Includes: Six (6) soap dispenser units and one (1) remote control	Battery box for six (6) DD batteries	351911				
QUADRAT SD 6-PACK E		12V Transformer	351901				
QUADRAT 2030 SD 6-PACK B		Battery box for six (6) DD batteries	351921				
QUADRAT 2030 SD 6-PACK E		12V Transformer	351931				

QUADRAT 2030 SD 6-PACK E		12V Transformer	351931				
1.6 GALLON (6L) SOAP DISPENSER VERSIONS							
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
MF QUADRAT SOAP DISPENSER	Delivers liquid soap Wall mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installatio		07292078	4-7/8" (124mm) 2-3/4" (148mm) (118mm) (180m) (180m) (180m) (180m)			
MF QUADRAT SOAP DISPENSER 2030	Delivers liquid soap Wall mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installatio		07292094	Max 1-5/8"			
QUADRAT SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	351916	1-5/8" 4-7/8" 4-7/8" 124mm 124			
QUADRAT 2030 SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser	12V Transformer	351316	3-7/8" 100mm 2-3/4"			

TUBULAR SOAP DISPENSER

WALL-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY SOAP


Features:

Options:

- 1.6 US gallon(6L) soap tank
- Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank
 Matching IR operated faucet
 Remote control

NEW OPTION: STAINLESS STEEL AISI 316

- Clog and backflow prevention with designated peristaltic pump
- Accurate soap dosage adjustable by remote control
- Maximized savings can be used with any non-proprietary soap
- Easy to install and refill
- Highly durable for heavy traffic locations







STANDARD SOAP DISPENSER VERSIONS								
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING			
	TUBULAR SOAP DISPENSER B	Delivers liquid soap Optional long version: 5-29/32" (150mm)	Battery box for six (6) DD batteries	350920	[[mu]]			
	TUBULAR SOAP DISPENSER E		12V Transformer	350925	1-1/2" [38mm] [6-1/4"] [13mm] [13mm] [14mm] [15mm]			
		Battery box for six (6) DD batteries	350922	Max 1-5/8" [Max 40mm]				
		brass spout Stainless Steel AISI 316	12V Transformer	350927	1-1/2" [33/mm] [1-1/2" [38/mm] [1-1/2"			
	TUBULAR FOAM E	Delivers foam soap Stainless Steel AISI 316 spout available	12V Transformer	350980				

6-PACK SOAP DISPENSER									
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING					
TUBULAR SD 6-PACK B	Includes:	Battery box for six (6) DD batteries	350921						
TUBULAR SD 6-PACK E		12V Transformer	350926						
TUBULAR 2030 SD 6-PACK B		Battery box for six (6) DD batteries	350923						
TUBULAR 2030 SD 6-PACK E		12V Transformer	350928						
TUBULAR FOAM 6-PACK E		12V Transformer	350981						

1.6 GALLON (6L) SOAP DISPENSER VERSIONS								
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING				
MF TUBULAR SOAP DISPENSER	Delivers liquid soap Wall mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation Stainless Steel AISI 316 spout available	12V Transformer	07292076	4-3/4" [120mm] 2-3/4" [14mm] 4-1/2" [14mm] 4-1/2" [14mm] 4-1/2" [14mm] 4-1/2" [14mm] 4-1/2" [14mm] 4-1/2" [14mm]				
MF TUBULAR FOAM DISPENSER	Delivers foam soap Wall mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation Stainless Steel AISI 316 spout available	12V Transformer	07292186					
MF TUBULAR SOAP DISPENSER 2030	Delivers liquid soap Wall mounted touch free electronic soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation Stainless Steel AISI 316 spout available	12V Transformer	07292081	Max 1-5/8" 4-3/4" [120mm] 4-3/4" [120mm] 4-1/2" [114mm] 5-1/2" [114mm]				
TUBULAR SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser Stainless Steel AISI 316 spout available	12V Transformer	350116	2-3/4" [28mm] 2-3/4" [28mm] 2-3/4" [120mm] 4-3/4" [120mm] 3-1/2" [134mm] 5-5/8" [224mm]				
TUBULAR 2030 SD 1.6 E	Delivers liquid soap 1.6 gallon (6L) tank kit for an individual soap dispenser Stainless Steel AISI 316 spout available	12V Transformer	350816	3-7/8" (3-7/8" (120mm)				

	STANDARD SOAP DISPENSER VERSIONS									
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING					
	TUBULAR PROX SOAP DISPENSER B	Delivers liquid	Battery box for six (6) DD batteries	350930	01-3/A" [70mm]					
	TUBULAR PROX SOAP DISPENSER E	soap	12V Transformer	350940	[33mm] [138mm] [160mm]					
	TUBULAR PROX SOAP DISPENSER 2030 B	Delivers liquid soap	Battery box for six (6) DD batteries	350935	3.7/8" Max 15/8" 4-3/4" E E E E E E E E E					
•	TUBULAR PROX SOAP DISPENSER 2030 E		12V Transformer	350945	139 (\$2) (\$2) (\$2) (\$3 (\$2) (\$2) (\$3 (\$2) (\$2) (\$3 (\$2) (\$2) (\$2) (\$2 (\$2) (\$2) (\$2 (\$2) (\$2)					

6-PACK LIQUID SOAP DISPENSER									
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING					
TUBULAR PROX SD 2030 6-PACK B	Includes:	Battery box for six (6) DD batteries	350936						
TUBULAR PROX SD 2030 6-PACK E	Six (6) soap dispenser units and one (1) remote control	12V Transformer	350946						



EXTREME WM SOAP DISPENSER

WALL-MOUNTED TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR NON-PROPRIETARY LIQUID SOAP

Features:

Options:

- 0.26 US gallon (1L) soap bottle1.6 US gallon(6L) soap tank
- Multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank
 Matching IR operated faucet

- Accurate soap dosage adjustable by remote control
- Easy to install and refill
- Highly durable for heavy traffic locations





STANDARD SOAP DISPENSER VERSION									
PICTURE	PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING				
	EXTREME SOAP DISPENSER WM B	Delivers	Battery box for six (6) DD batteries	237940	1-3/4" 4-1/2" 1-3/8" 1-3/4" 1-3				
	EXTREME SOAP DISPENSER WM E	liquid soap	12V Transformer	237930	03-1/2"				

BEHIND MIRROR SD

TOUCH-FREE ELECTRONIC SOAP DISPENSER FOR INTEGRATION BEHIND THE MIRROR

Options:

- 0.26 US gallon (1L) soap bottle
 1.6 US gallon (6L) soap tank
 Matching IR operated faucet

- Clog and backflow prevention with designated peristaltic

- Maximized savings used with any non-proprietary soap



	STANDARD SOAP DISPENSER VERSIONS									
PICTURE	ICTURE PRODUCT NAME MODEL FEATURES POWER SUPPLY CODE NUMBER DRAWING									
	BEHIND MIRROR SD B	Delivers liquid soap	Battery box for six (6) DD batteries	280210	3/4" 37/8" [100mm] [10					
	BEHIND MIRROR SD E	nguru soap	12V Transformer	280200	37/8" [20mm] 5-1/2" [140mm] 4-3/4" 4-3/4" [120mm]					
The state of the s	BTM FOAM E	Delivers foam soap	12V Transformer	280250	3/4" 13/4" 13/4" 13/4" 13/4" 13/4" 13/4" 120mm 13/4" 120mm 120mm					

MULTIFEED SOAP DISPENSER VERSION									
PRODUCT NAME	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING					
MF BEHIND MIRROR SD	BTM soap dispenser to be used with Stern's Multifeed kits for multiple soap dispensers installation	12V Transformer	07292223	03/4" [20mm] 1-3/4" [45mm] 4-1/2" [14mm]					

SOAP WATER AIR MODULE

ELECTRONIC WALL MOUNTED SYSTEM TO BE INTEGRATED BEHIND THE MIRROR

Combined system including faucet, soap dispenser and hand dryer operated by IR sensor. Optional manual integrated thermostatic mixer for anti-scalding operation and temperature control.

- Drastically reduces water consumption
- No physical contact. Helps to protect users against cross contamination

- Sensor settings and soap dosage adjustable by remote control
- Peristaltic pump. The soap is driven inside the soap tube without contact with the pump, preventing contamination and back flow

 • Accurate soap dosage
- To be used with non-proprietary soap for maximum





PRODUCT VARIATION	MODEL FEATURES	POWER SUPPLY	CODE NUMBER	DRAWING
1 3 4	Complete system including hand dryer (1), thermostatic mixing valve (2), touch-free faucet (3) and liquid soap dispenser (4)			
3 4	Modular system including thermostatic mixing valve (2), touch-free faucet (3) and liquid soap dispenser (4)			3/8" 22-7/8" [580mm] [5mm] [5mm] [5mm]
1 3 4	Modular system including hand dryer (1), touch-free faucet (3) and liquid soap dispenser (4)	12V Transformer	280400	(90) (1.1/8" [0.13mm] TVP [0.13
3 4	Modular system including touch-free faucet (3) and liquid soap dispenser (4)			1-3/8" (1-1)/4" (1-1)
1	Modular system including hand dryer (1) and liquid soap dispenser (4)			



DESIGNER FRIENDLY

Concealed behind the mirror for a clean minimalist design

CONTRACTOR FRIENDLY

 Easy installation with a stainless steel frame to be fixed to the wall.

USER FRIENDLY

- · Ideal touch-free soap-water-air cycle
- · Helps to prevent cross contamination

COST FRIENDLY

- Reduces water and soap consumption
- · Can be used with non-proprietary soap

ECO FRIENDLY

- Conserves water and reduces soap waste
- · Maximizes LEED rating

STAFF FRIENDLY

· Quick and easy maintenance and refill



TAILORED TO YOUR NEEDS:

The SWA Module's complete version includes a touch-free soap or foam dispenser, faucet, thermostatic mixing valve and hand dryer.

Each component can be delivered individually and any combination is possible.







MULTIFEED KITS

MULTIPLE SOAP DISPENSERS INSTALLATION KIT



Features:

- Allows multiple soap dispensers installation (up to six (6) dispensers) with a single 1.6 US gallon (6L) tank
- Stainless Steel frame
- Anti-thef top filling mechanism for easy refill from the counter top


Options:


- Top filling mechanism with anti-thef protection
- LED light indicator of soap level
- Under-the-deck filling mechanism

- Drastically reduces soap consumption
- Cross contamination protection no physical contact
- Maximized savings can be used with any non-proprietary soap
- Easy installation
- Fast and simple refill with optional LED indication of soap level
- Highly durable with optional vandal resistnat top filling mechanism









TOP-FILLING MULTIFEED KIT

POWER SOURCES

TRANSFORMERS

12V switching adaptor with 5 meter (16.4 feet) cable and male waterproof connector.

PICTURE	PRODUCT NAME	INPUT VOLTAGE	OUTPUT VOLTAGE	FREQUENCY	OUTPUT CURRENT	CODE NUMBER
	12V TRANSFORMER - UNIVERSAL INCLUDES PLUGS FOR EU, USA AND UK	110-240V	12V	50/60 HZ	500 MA	06522082
	12V TRANSFORMER - EU	110-240V	12V	50/60 HZ	500 MA	06522081
	12V TRANSFORMER - US	110-240V	12V	50/60 HZ	500 MA	06522080
	12V TRANSFORMER - AU	110-240V	12V	50/60 HZ	500 MA	06522085
	12V TRANSFORMER - UK	110-240V	12V	50/60 HZ	500 MA	06522086

HARDWIRE POWER OPTIONS

IP68 Encapsulated switching transformer with 196.85" (5 meter) cable and male waterproof connector (CE, RoHS,UL). Suitable for multiple products installation with electrical connection when combined with the appropriate power splitter.



PRODUCT NAME	CONNECTOR	INPUT VOLTAGE	OUTPUT VOLTAGE	FREQUENCY	OUTPUT CURRENT	CODE NUMBER
IP68 ENCAPSULATED SWITCHING TRANSFORMER OPEN CABLES FOR HARDWIRING	MALE —	110-240V	12V	50/60 HZ	1A	06522111

IP68 ENCAPSULATED SWITCHING TRANSFORMER FOR MULTIPLE PRODUCTS INSTALLATION

IP68 Encapsulated switching transformer with 196.85" (5 meter) cable and male/female waterproof connector (CE, RoHS,UL). Suitable for multiple products installation with electrical connection when combined with the appropriate power splitter.



PRODUCT NAME	CONNECTOR	INPUT VOLTAGE	OUTPUT VOLTAGE	FREQUENCY	OUTPUT CURRENT	CODE NUMBER
IP68 SWITCHING TRANSFORMER OPEN CABLES FOR HARDWIRING	MALE —	110-240V	12V	50/60 HZ	2.5 A	06522107
IP68 ENCAPSULATED SWITCHING TRANSFORMER EU PLUG	MALE —	110-240V	12V	50/60 HZ	2.5 A	06522077
IP68 ENCAPSULATED SWITCHING TRANSFORMER UK PLUG	MALE —	110-240V	12V	50/60 HZ	2.5 A	06522071

POWER SPLITTERS

DRAWING	PRODUCT NAME	MODEL FEATURES	CODE NUMBER
	POWER SPLITTER SOAP & WATER 2 WAYS F-M2	 For connecting one (1) soap dispenser and one (1) faucet Used with 12V transformer Cable length to product: 3.9" (100 mm) Cable length to power supply: 3.9" (100 mm) 	06001025
	POWER SPLITTER SOAP 2 WAYS F-M2	 For connecting two (2) soap dispensers Used with 12V/2.5A transformer Cable length to product: 19.6" (500 mm) Cable length to power supply: 3.9" (100 mm) 	06001026
	POWER SPLITTER SOAP 3 WAYS F-M3	 For connecting three (3) soap dispensers Used with 12V/2.5A transformer Cable length to product: 1X19.6" (1X500 mm), 2X 59" (2X1500 mm) Cable length to power supply: 3.9" (100 mm) 	06001027
	POWER SPLITTER SOAP 4 WAYS F-M4	 For connecting four (4) soap dispensers Used with 12V/2.5A transformer Cable length to product: 2X19.6" (2X500 mm), 2X 59" (2X1500 mm) Cable length to power supply: 3.9" (100 mm) 	06001028

JUNCTION BOX

PICTURE	PRODUCT NAME	MODEL FEATURES	INPUT VOLTAGE	OUTPUT VOLTAGE	FREQUENCY	OUTPUT CURRENT	CODE NUMBER
*20000	JUNCTION BOX WITH TRANSFORMER FOR SOAP DISPENSERS	Connection point of up to 10 Soap Dispensers or 10 ring illuminated products. Includes a 12VDC 4.2 Amp transformer.	115-230V	12V	60 HZ	4.2 A	06530062

CABLES FOR JUNCTION BOX				
DRAWING	PRODUCT NAME	MODEL FEATURES	CODE NUMBER	
	OUTPUT CABLE FOR JUNCTION BOX	118.10" (3 meter) male connector	06000084	

BATTERY BOX

PICTURE	PRODUCT NAME	RERQUIRED BATTERIES	CONNECTOR	CODE NUMBER
	BATTERY BOX FOR SOAP DISPENSERS	6 D batteries	Male waterproof connector	06530041

BOTTLES WITH CAPS

DRAWING	PRODUCT NAME	MODEL FEATURES	CODE NUMBER
	1L SOAP TANK 6-PACK	Includes six (6) 0.26 gallon (1L) soap bottles with caps	07100036

LIQUID SOAP DISPENSERS REMOTE CONTROL

Stern's soap dispensers are installed in different locations around the world, each with different requirements. The ability to change the dispensers setting provides a wide range customization options.

Adjustable settings:

- Soap dosage
- Temporary shutoff function
- Soap tank refill
- Reset to factory settings




PRODUCT NAME	CODE NUMBER	DRAWING
LIQUID SOAP DISPENSERS REMOTE CONTROL	07100008	3/8" [10 mm] [36 mm]

FOAM SOAP DISPENSERS REMOTE CONTROL

Stern's foaming soap dispensers are installed in different locations around the world, each with different requirements. The ability to change the dispensers setting provides a wide range customization options.

Adjustable settings:

- Soap dosage
- Air quantity
- Temporary shutoff function
- Soap tank refill
- Reset to factory settings



PRODUCT NAME	CODE NUMBER	DRAWING
FOAM SOAP DISPENSERS REMOTE CONTROL	07100009	3/8" [10 mm] 1-3/8" [36 mm]

DISCOVER STERN'S RANGE OF PRODUCTS:





















STERN ENGINEERING LTD. www.sternfaucets.com

HEADQUARTERS: USA:
15 Gan Rave Blvd. 777 Passaic Avenue
R122214, Yavne, Israel
Tel: +972-8932-6000 info@sternfaucets.com

USA:
777 Passaic Avenue
Clifton NJ, 07012
Tel: +1-973 773 8011
Toll Free: 1-800-4364410
sales1@sternfaucets.com